

FP158-GB

UPDATE: 23/06/2020

REF. 7194

LANDING PITS

MARKETING DEPARTMENT Y.NOUGUIER





SUNKEN PIT WITH FOAM CUBES NEW GENERATION



- □ A new generation pit system approved by more than 80 makings already
- □ Easy and quick setup by a small team within 2 days.
- A unique, homogenous, and fully covered landing area under the cubes, very flexible and resistant to tear and wear, provides a constantly safe, soft and long-lasting base.
- A multilayer, poly density, fully foam base design, optimizing air ventilation and shock absorption, offers the fastest learning conditions.
- A flexible base area contributing to a constant and natural mixing of foam cubes ensures the most even absorption possible.
- Bottom and sides of the pit always and entirely protected. Even without foam cubes, the pit fully meets the highest possible safety requirements.
- Bi-density foam protective pads for maximal safety for the gymnasts reducing their apprehension.
- □ Multiple foam cube shapes and sizes available increasing the random placement of cubes in the pit, secures extra smooth and body protective entrance into the pit.



A sales team at your disposal



We build your project with you



GYMNOVA installation service



Refurbishment and maintenance service





FP158-GB

UPDATE: 23/06/2020

REF. 7194

LANDING PITS

MARKETING
DEPARTMENT
Y.NOUGUIER

COMPRISES OF:

1. LOWER BLOC:

- 60 cm thick cross-link foam blocks with a light weight density of 17 kg/m3 for optimal kinetic behaviour.
- Upper ventilation grid material for optimal decompression when landing
- Available peripheral hook-and-loop strips attachment system.

2. ADDITIONAL MAT IN DUAL-DENSITY:

- 20 cm thick dual-density foam mat including a 5 cm "comfort" top layer of over 45kg/m3 density with high level resistance to tearing.
- Top covering in stretch et breathing "jersey" cloth material with class M1 fire rating
- Side covering in class M2 fire rating, 1000 deniers and phthalate free vinyl.
- Available hook-and-loop attachment to link with the lower blocks *Vacuum-packed delivery available*.

3. EDGE GUARDS:

- 10cm thick dual-density foam: PE foam top of 4cm and PU foam bottom of 6cm.
- Vinyl cover, 1000 deniers, class M2 fire rating and phthalate free.
- Full protection of the concrete sides, edges and corners.
- Moulded to measure and removable edge guards to ease set-up and maintenance.



Lower bloc



Foam cubes setup on the additional mat





FP158-GB

UPDATE: 23/06/2020

REF. 7194

LANDING PITS

MARKETING DEPARTMENT Y.NOUGUIER

4. FOAM CUBES:

- Class M4 fire rating. Exclusively developed for the practice of gymnastics.
- Soft and flexible foam with high level of resistance to tearing.
- 3 different sizes (20x20x30 cm, 20x30x30 cm et 30x30x30 cm) improving natural random mixing of the cubes.
- **Option**: Jersey cover, class M1 fire rating.
- 5. STEP FOAM: (**In option**) to ease the step off the pit.

Recommended depth 1.50 m. Possible studies from 1.20 m. Higher depth may require the need of a raised platform.





