

GYMNOVA	FP-608-F	UPDATE: 15/03/2024	REF. 5370/ 5371/5352	LINK BAR	MARKETING DEPARTMENT O.SCHOFFIT
----------------	----------	--------------------	-------------------------	----------	---------------------------------------

TRAMPOLINE/PIT CONNECTING BAR

- ❑ Stowable.
- ❑ Ideal for practising acrobatics and dismounts on a built-in trampoline with a pit link.
- ❑ Preserves the elasticity and rigidity of closed-frame trampolines.
- ❑ Ensures perfect safety in the event of a fall.
- ❑ Suitable for master and grand master trampolines.




For optimum performance, we recommend using:

the trampoline/pit link bar guard

- **Ref. 5371**

or

- **Ref. 5372**



GYMNOVA


CS 30056 - 45, rue Gaston de Flotte - 13375 Marseille cedex 12 - France
Tel. +33 (0)4 91 87 51 20 - Fax. +33 (0)4 91 93 86 89
info@gymnova.com - www.gymnova.com

GYMNOVA	FP-608-F	UPDATE: 15/03/2024	REF. 5370/ 5371/5352	LINK BAR	MARKETING DEPARTMENT O.SCHOFFIT
----------------	----------	--------------------	-------------------------	----------	---------------------------------------

TRAMPOLINE/PIT CONNECTION BAR GUARDS

- ❑ Ideal for gymnasts working on dismounts on built-in trampolines with a pit link.
- ❑ Ensure safety in the area between the trampoline and the landing pit.
- ❑ Provide a board effect and limit crushing in the area during movements.
- ❑ Provide optimum protection for users in the event of a fall.
- ❑ Help to improve the longevity of the link bar.

Ref. 5371



Ref. 5372




GYMNOVA	FP-608-F	UPDATE: 15/03/2024	REF. 5370/ 5371/5352	LINK BAR	MARKETING DEPARTMENT O.SCHOFFIT
----------------	----------	--------------------	-------------------------	----------	---------------------------------------

TECHNICAL SPECIFICATIONS OF THE GUARDS

- ❑ PVC-covered foam
- ❑ Class M2 fire-rated foam
- ❑ Phthalate-free
- ❑ Colour: red (photo may differ from actual item)

Ref. 5371: Can be used to link the following standard pits:

- **Ref. 7093**
- **Ref. 7098**



Ref. 5372: Can be used to link the following new-generation pits:

- **Ref. 7198**

