


GYMNASTICS AREA 14x14M & 12.85x12.85M «MONTRÉAL» COMPETITION & TRAINING SPRINGS EXERCISE FLOOR WITH ROLL-UP TRACKS M'25


6776/00 - 6778/30
6776D - 6776D/DE
6778D - 6778D/DE



6776D & 6776D/DE



**KEEP THIS
DOCUMENT**



Warning:

This equipment should be installed by a qualified individual. This equipment should only be used by one person at a time, under the supervision of a qualified individual.

Using this equipment for purposes other than those originally intended is prohibited.

Compliance:

14 x 14 m Exercise floors ref. 6776D and 6776D/DE are FIG approved.

Recommendations:

- keep these instructions for subsequent reference (inspection, maintenance, etc.).
- periodically carry out predictive maintenance.
- depending on how much it is used have the equipment serviced yearly or every few years.

Pack list:

COLIS REF.	6776/01 14 x 2 m roll-up track, th. 38mm	6778/31 14 x 0.85 m roll-up track, th. 38mm	6574/20 Rule, length 2 m for cutting	6579/15 Spring exercise floors accessories	Number of packages
6776/00 14 x 14 m gymnastics area th: 38mm	7	-	1	1	9
6778/30 12.85 x 12.85 m gymnastics area th: 38mm	6	1	1	1	9
VOLUME (M ³)	1.57	0.67	0.004	0.05	X
WEIGHT (KG)	61	27	2	6.3	
SIZE (MM)	2000 x Ø1000	850 x Ø1000	2000 x 100 x 20	500 x 350 x 300	

I. Maintenance:



IMPORTANT :

Leave the roll-up tracks to rest for at least 48 h. The gymnastics area overlaps the floor: cut off any necessary excess tracks Repeat the process if necessary (tracks dimensions vary over time).

- Regular cleaning of the exercise floor makes it easier to spot any problems (distortion, breakage or moisture absorption).
- Check the condition of the roll-up tracks **(1)** and **(2)**, and the anti-rotation kit **(3)+(4)**.
- Check the condition of the floor (wood panels, springs, plastic parts, sections and plates - **NM308** or **NM307**) and of the Foam underlay (**NM285AA**).
- Any damaged or distorted component should be replaced as quickly as possible.

II. Disassembly and storage of roll-up tracks:

Carefully roll up the joining strips **(5)**, then fold the 7 tracks **(1)**, or **(1)** and **(2)**. Store the tracks rolls flat in a clean, dry location. Do not store any heavy, protruding or other item on top. Avoid direct contact with the floor.

III. Assembling the gymnastics area: (👤👤 minimum).

- 14x14m th. : 3.8cm with roll-up tracks (Ref.: 6776/00). Set of 4 finishing bibs 14m (Ref.: 6575/10).
- 12.85x12.85m th. : 3.8cm with roll-up tracks (Ref.: 6778/30). Set of 4 finishing bibs 12.85m (Ref.: 6777/10).


Figures 1 - Installing the Anti-Rotation Kit of the gymnastics area

Glue the 8 two-by-two beige adhesive self-gripping strips of 200 x 5cm (3) on each side of the foam underlay. Cover them with the 4 strips of 150 x 25 cm black textile adhesive (4)

Important: wait the end of step III, to remove the protective film from the 4 strips (4)


14 x 14m underlay foam

12.85 x 12.85m underlay foam




Figures 2 - Installing the gymnastics area

Unroll roll-up tracks (1), or (1) and (2) from area foam strips layout



Figures 3 - Binding the gymnastics area

Align these roll-up tracks (1), or (1) and (2) with an **angle of the floor**. Bonding by 6 red self-gripping strips (5) (length 14m - width 10cm) straddling each track.



Figures 4 - Cutting the gymnastics area

Cut the protruding part of the extremity of the roll-up tracks (1), or (1) and (2) from the floor edge.







Figure 5 - Cutting the gymnastics area detail

Cut the protruding part using the 2m (6) ruler (supplied) and a cutter, along the wooden floor plates.

Figure 6 - Gymnastics area ARK activation



Lift the roll-up tracks (1), or (1) and (2) on the 4 sides of the floor, then remove the protective film from the 4 adhesive black textile strips (4).



Figures 7 - Gymnastics area markings


Place the 4 beige self-gripping strips (7) 5cm wide to define the 12 x 12m area of evolution.







Note: the strips are placed inside the zone. Position the 2 Gymnova markings (8) outside the zone of evolution.



Figures 8 - Fitting of the exercise floor finishing bibs

Align the end (male self-gripping side) of one bib (9) or (9') on one corner of the exercise floor. Stretch and flatten on the first side of the exercise floor, plus angle feedback. Bind the second bib to the female hook-and-loop of the first and repeat the operation for the next 2.





29	-	-	-	-
28	-	-	-	-
27	-	-	-	-
26	-	-	-	-
25	-	-	-	-
24	-	-	-	-
23	-	-	-	-
22	-	-	-	-
21	-	-	-	-
20	-	-	-	-
19	-	-	-	-
18	-	-	-	-
17	-	-	-	-
16	-	-	-	-
15	-	-	-	-
14	-	-	-	-
13	-	-	-	-
12	-	-	-	-
11	-	-	-	-
10	-	-	-	-
9'	4	Finishing bib of 12.85m	6777/11	6778D
9	4	Finishing bib of 14m	6575/11	6776D
8	2	Gymnova marking pad	6574/11	6776D - 6778D
7	4	Beige hook-and-loop strip 12mx5cm	-	6776D - 6778D
6	1	2m Ruler for cutting roll-up tracks.	6574/20	6776D - 6778D
5	6	Red male bonding strip 14.2mx10cm	6574/15	6776D - 6778D
4	4	Black adhesive textile pad 2mx25cm	-	6776D - 6778D
3	8	Beige hook-and-loop strip 2mx5cm	-	6776D - 6778D
2	1	Roll-up track 14x0.85m th.38mm	6778/31	6778D
1	7-6	Roll-up track 14x2m th.38mm	6776/01	6776D - 6778D
REP	NBR	DESIGNATION	REFERENCE	OBSERVATION

**GYMNASTICS AREA 14x14M & 12.85x12.85M
«MONTRÉAL» COMPETITION & TRAINING SPRINGS EXERCISE
FLOOR WITH ROLL-UP TRACKS M'25**

To order spare parts, please provide the description, reference and delivery date of the entire apparatus.

Constantly aiming to improve our products, we reserve the right to make changes to the equipment and dimensions without further discussion.

This document is the property of Gymnova, it is confidential and shall not be reproduced.